

Koosharem Allotment

2025 Range Monitoring Report

Introduction

The Koosharem Allotment is a cow/calf allotment with 787 cow/calf pairs permitted from June 1th through October 15th. The allotment was stocked as follows:

Number of cattle	Pasture	On date	Off date
631 Cow/calf pair	Box Creek	06/01	06/30
787 Cow/calf pair	Burnt Flat	07/01	7/18
787 Cow/calf pair	Daries	7/19	7/27
787 Cow/calf pair	Greenwich/Squaw Spring	7/28	9/3
787 Cow/calf pair	Rim Seep	9/4	9/13
787 Cow/calf pair	Monroe Creek	9/14	09/30
787 Cow/calf pair	Indian Ranch	10/01	10/14
787 Cow/calf pair	Koosharem Canyon	10/15	10/15

The Monroe Canyon Fire burned through several on the Koosharem allotment pastures affecting the grazing rotation. The cattle were moved away from active burning areas to add in fire suppression and provide for safety of the livestock. The above grazing rotation was only followed loosely due to the fire activity.

Monitoring Methodology

Monitoring followed protocols outlined in the following reference:

Utilization Studies and Residual Measurements Interagency Technical Reference 1999.

Key Species Method (Page 81). This Technique is a combination of the Landscape Appearance Method (Section V.D.) and the Ocular Estimate Method (Section V.C.2). Utilization levels are based on an ocular estimate of the amount of forage removed by weight on individual key species and observations are recorded in one of seven utilization classes. This method was used in the Manning Allotment to estimate the browse and herbaceous utilization.

Stubble Height method (page 51) The concept of this method is to measure stubble height, or height (in centimeters or inches) of herbage left ungrazed at any given time. This method, because of its simple application, is becoming a well-accepted method for expressing rangeland use.

Site Name	Unit Location	Location (UTM OR Lat/Long)	Percent Utilization	Stubble Height	Date collected
Monroe Creek	Monroe Creek	38.564478595941487 112.00230588986707	Browse Data 21.4%		10/23/25
South Fork of Box Creek	Dairies	38.47320508477262 112.01765855123445		Riparian Species 4.4 inches	10/8/25

Wire Flat	Dairies	38.477190274547524 112.03449926994288		Riparian Species 4.2 inches	10/8/25
Cold Springs	Dairies	38.46297480919744 112.04745606705269		Riparian Species 3.0 inches	10/08/25
Near Oldroyd Property	Dairies	38.49020532556305 112.02776599372667		Riparian Species 7.4 inches	10/08/25
Brindley Dairy	Greenwich- Squaw Springs	38.51436720438446 112.02625322416343		Riparian Species 5.4 inches	10/08/25
Greenwich Creek	Greenwich- Squaw Springs	38.51180236486232 112.01055635662202		Riparian Species 7.2 inches	10/08/25
Koosharem Creek	Indian Ranch	38.56164549619265 111.96009913031695		Riparian Species 9.5 inches	10/23/25
Monroe Creek	Monroe Creek	38.54677620467162 112.00033906172298		Riparian Species 8.7 inches	10/23/25
Indian Flat	Box Creek	38.48360323803616 111.93958096324155	Ocular estimate 47.8 % grasses		6/24/25
Trend Plot 62- 05	Burnt Flat	38.444585020491154 112.05030703200427	Ocular estimate 41% grasses		10/7/25
Trend Plot 62- 34B	Burnt Flat	38.444300710945555 112.02261699059967	Ocular estimate 44% grasses		10/7/25
Trend Plot 63- 08	Burnt Flat	38.4627120593467 111.995153731479892	Ocular estimate 41.8% grasses		10/7/25
Trend Plot 52- 16	Rim Seep	38.522623611428195 111.97162531017952	Ocular estimate 41.5% grasses		10/7/25
Trend Plot 52- 14/15	Rim Seep	38.526389707335674 111.97315674890253	Ocular estimate 37.8% grasses		10/7/25
Trend Plot 52- 07	Indian Ranch	38.55653826740173 111.97944725126426	Ocular estimate		10/7/25

			38.3% grasses		
Trend Plot 52- 20	Indian Ranch	38.56558582438225 111.95492985593691	Ocular estimate 21.1% grasses		

Three of the four sites in the Dairies Pasture monitored for Stubble Height did not meet the Forest Service Standard of 6 inches.

The four riparian sites monitored on Monroe Creek, Indian Ranch and Greenwich-Squaw Springs pastures meet the Forest Service Standard of 4 inches.

Willow use in the Monroe Creek pasture was moderate with an average of 21 percent use.

All upland forage utilization was less than the Forest Service Standard of 50%.

Rick Oyler

Rangeland Management Specialist

Richfield Ranger District

February 3, 2025



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: May 28, 2025

Employees Present:

Oyler

Drought Indicator: No

BOX CREEK PASTURE - 008

Site or Key Area Name: Indian flat trend plot Trend plot

Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: May 28, 2025

Monitoring Time: PRE-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: June 1, 2025 to July 3, 2025

Estimated Use Days: 33

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 654 AUM: 709.5

Total AUM: 710

Type of Monitoring: Production and Range Readiness

Monitoring Method: Range Readiness Plant Phenology

Grass Species: **HECO26**

Average Height: 8

Forb Species: **All Species**


Browse Species: **PUTR2**

Average Leader Length: 4.7

Soil Condition / Moisture: Dry



Closeup of grasses




General view of Indian flat




Flowering butter brush



Flowering forbs



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 418190E 4259661N 38.481533374002474, -111.93795290887164



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: May 28, 2025

Employees Present:

Oyler

Drought Indicator: No

BOX CREEK PASTURE - 008

Site or Key Area Name: Clay Mine Trend plot east of clay mine

Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: May 28, 2025

Monitoring Time: PRE-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: June 1, 2025 to July 3, 2025

Estimated Use Days: 31

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 654 AUM: 666.5

Total AUM: 667

Type of Monitoring: Production and Range Readiness

Monitoring Method: Range Readiness Plant Phenology

Grass Species: **POFE**

Season: Spring

Average Height: 8.18

Forb Species: **All Species**

Browse Species: **PUTR2**

Average Leader Length: 4

Soil Condition / Moisture: Dry



Closeup of grasses




Closeup of bitterbrush



General view



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 415122E 4259706N38.48166017537781, -111.973132655892



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 23, 2025

Employees Present:

Oyler

Drought Indicator: No

MONROE CREEK PASTURE - 001

Site or Key Area Name: Monroe Creek Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 23, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: October 1, 2025 to October 16, 2025

Estimated Use Days: 16

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 414

Total AUM: 414

Type of Monitoring: Herbaceous Removal

Monitoring Method: Key Species

Species 1 Percent Utilization: 21.2

Max Allowable Use: 50


Within Guidelines?Yes




Willows looking down stream



Young willows along stream



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 412654E 4266739N 38.54478595941487, -112.00230588986707

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 8, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

DAIRIES PASTURE - 006

Site or Key Area Name: South fork ^{Box}Greenwich Creek Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 8, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: August 9, 2025 to August 23, 2025

Estimated Use Days: 15

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 388.1

Total AUM: 388

Type of Monitoring: Residual Measurements

Monitoring Method: Stubble Height

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 4.4

Minimum Stubble Height Guideline: 6 inches

Within Guidelines?No




General view looking up stream



Closeup of vegetation



Ungrazed plants that where in a utilization cage 19 inches





USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

[12S 411228E 4258810N](#)38.47320508477262, -112.01765855123445

Is the Standard Met? No

Is follow-up needed for compliance? No

Compliance:

Rest area in the next grazing season due to the Monroe Canyon Fire rehabilitation efforts



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 8, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

DAIRIES PASTURE - 006

Site or Key Area Name: Wire Flat Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 8, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: August 9, 2025 to August 23, 2025

Estimated Use Days: 15

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 388.1

Total AUM: 388

Type of Monitoring: Residual Measurements

Monitoring Method: **Stubble Height**

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 4.1

Minimum Stubble Height Guideline: 6 inches

Within Guidelines?No




General view looking east




Closeup up of vegetation



Stubble height of ungrazed plants in utilization cage



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

[12S 409764E 4259269N](#) 38.477190274547524, -112.03449926994288

Is the Standard Met? No

Is follow-up needed for compliance? Yes

Was the District Notified? Yes

[Ranger](#) was notified on October 8, 2025.

The permittee(s) was notified on October 9, 2025.

Compliance:

Rest area next season for fire rehabilitation



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 8, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

DAIRIES PASTURE - 006

Site or Key Area Name: Oldroyd property Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 8, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: August 9, 2025 to August 23, 2025

Estimated Use Days: 15

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 388.1

Total AUM: 388

Type of Monitoring: Residual Measurements

Monitoring Method: **Stubble Height**

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 7.4

Minimum Stubble Height Guideline: 6

Within Guidelines?Yes




Closeup of the ungrazed plants that where in the utilization cage 18 inches




General view looking west



Closeup of grazed plants





USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

[12S 410367E 4260706N](#)38.49020532556305, -112.02776599372667

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 8, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

DAIRIES PASTURE - 006

Site or Key Area Name: Cold Springs Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 8, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: August 9, 2025 to August 23, 2025

Estimated Use Days: 15

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 388.1

Total AUM: 388

Type of Monitoring: Residual Measurements

Monitoring Method: **Stubble Height**

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 3

Minimum Stubble Height Guideline: 6


Within Guidelines?No




Closeup of vegetation



General view of riparian looking north



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 408616E 4257704N38.46297480919744, -112.04745606705269

Is the Standard Met? No

Is follow-up needed for compliance? Yes

Was the District Notified? Yes

District Ranger was notified on October 8, 2025.

The permittee(s) was notified on October 9, 2025.

Follow-Up Action:

Rest area next season to rehab the burned areas



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 8, 2025

Employees Present:

Kling, Oyler

Others Present:

|

Drought Indicator: No

GREENWICH-SQ___ SPRINGS PASTURE - 004

Site or Key Area Name: Brindley Dairy Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 8, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: August 23, 2025 to September 13, 2025

Estimated Use Days: 22

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 569.2

Total AUM: 569

Type of Monitoring: Residual Measurements

Monitoring Method: **Stubble Height**

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 5.4

Minimum Stubble Height Guideline: 4 inches



Within Guidelines?Yes



General view looking north



Closeup of the vegetation stubble height



12S 410529E 4263386N38.51436720438446, -112.02625322416343

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 8, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

GREENWICH-SQ___ SPRINGS PASTURE - 004

Site or Key Area Name: North Fork Greenwich Creek Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 8, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: August 23, 2025 to September 13, 2025

Estimated Use Days: 22

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 569.2

Total AUM: 569

Type of Monitoring: Residual Measurements

Monitoring Method: **Stubble Height**

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 7.2

Minimum Stubble Height Guideline: 4


Within Guidelines?Yes



General view looking upstream



Closeup of stubble height



12S 411894E 4263086N38.51180236486232, -112.01055635662202

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 23, 2025

Employees Present:

Oyler

Drought Indicator: No

INDIAN RANCH PASTURE - 002

Site or Key Area Name: Koosharem Creek Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 23, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: October 1, 2025 to October 15, 2025

Estimated Use Days: 15

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 388.1

Total AUM: 388

Type of Monitoring: Residual Measurements

Monitoring Method: **Stubble Height**

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 9.5

Minimum Stubble Height Guideline: 4 inches

Within Guidelines?Yes




General view looking north



Closeup of vegetation



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 416351E 4268570N38.56164549619265, -111.96009913031695

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 23, 2025

Employees Present:

Oiler

Drought Indicator: No

MONROE CREEK PASTURE - 001

Site or Key Area Name: Monroe Creek Predominant Landform: RIPARIAN

Measurement Units: inches

Monitoring Date: October 23, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: October 1, 2025 to October 16, 2025

Estimated Use Days: 16

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 414

Total AUM: 414

Type of Monitoring: Residual Measurements

Monitoring Method: **Stubble Height**

Plant Species: **All Species Counted Together**

Average Stubble Height (All Species): 8.7

Minimum Stubble Height Guideline: 4 inches


Within Guidelines?Yes




Closeup looking up stream



General view looking upstream. Old beaver dam site



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 412828E 4266958N 38.54677620467162, -112.00033906172298

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: June 24, 2025

Employees Present:

Oyler

Drought Indicator: No

BOX CREEK PASTURE - 008

Site or Key Area Name: Key area Indian flat Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: June 24, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: June 1, 2025 to July 4, 2025

Estimated Use Days: 21

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 654 AUM: 451.5

Total AUM: 452

Type of Monitoring: Herbaceous Removal

Monitoring Method: Key Species

Plant Species: **All Perrenial Grass Species**

Species 1 Percent Utilization: 47.3

Max Allowable Use: 50

Within Guidelines?Yes




Close up of grasses




General view looking north toward trend post



General view looking west





Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 9, 2025

Employees Present:

Oyler

Drought Indicator: No

BURNT FLAT PASTURE - 007

Site or Key Area Name: Trend plot 62-05 Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 9, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: July 4, 2025 to August 8, 2025

Estimated Use Days: 36

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 931.5

Total AUM: 932

Type of Monitoring: Herbaceous Removal

Monitoring Method: **Key Species**

Plant Species: **POFE**

Species 1 Percent Utilization: 40.4

Max Allowable Use: 50



Within Guidelines?Yes



Closeup of used vegetation



General view looking north



12S 408344E 4255666N38.444585020491154, -112.05030703200427

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 7, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

BURNT FLAT PASTURE - 007

Site or Key Area Name: Trend plot 62-34B Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 7, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: July 4, 2025 to August 8, 2025

Estimated Use Days: 36

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 931.5

Total AUM: 932

Type of Monitoring: Herbaceous Removal

Monitoring Method: Key Species

Plant Species: **All Perennial Grass Species**

Species 1 Percent Utilization: 43.5

Max Allowable Use: 50



Within Guidelines?Yes



Closeup of vegetation



General view looking north



12S 410760E 4255608N38.444300710945555, -112.02261699059967

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishtake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 7, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

BURNT FLAT PASTURE - 007

Site or Key Area Name: Trend plot 63-08 Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 7, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: July 4, 2025 to August 8, 2025

Estimated Use Days: 36

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 931.5

Total AUM: 932

Type of Monitoring: Herbaceous Removal

Monitoring Method: **Key Species**

Plant Species: **All Perennial Grass Species**

Species 1 Percent Utilization: 41.2

Max Allowable Use: 50

Within Guidelines?Yes




Closeup of vegetation



General view looking north



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



T27S R2W
USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 413178E 4257624N38.4627120593467, -111.99515373179892

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 7, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

RIM SEEP PASTURE - 005

Site or Key Area Name: Trend plot 52-16 Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 7, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: September 15, 2025 to September 30, 2025

Estimated Use Days: 16

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 414

Total AUM: 414

Type of Monitoring: Herbaceous Removal

Monitoring Method: Key Species

Plant Species: **All Perennial Grass Species**

Species 1 Percent Utilization: 41

Max Allowable Use: 50


Within Guidelines?Yes




General view looking south



Closeup of vegetation



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 415301E 4264251N38.522623611428195, -111.97162531017952

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 7, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

RIM SEEP PASTURE - 005

Site or Key Area Name: Trend plot 52-14 and 15 Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 7, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: September 15, 2025 to September 30, 2025

Estimated Use Days: 16

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 414

Total AUM: 414

Type of Monitoring: Herbaceous Removal

Monitoring Method: Key Species

Plant Species: **All Perrenial Grass Species**

Species 1 Percent Utilization: 37.3

Max Allowable Use: 50


Within Guidelines?Yes




Closeup of vegetation



General view looking southeast



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 415172E 4264670N38.526389707335674, -111.97315674890253

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 7, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

INDIAN RANCH PASTURE - 002

Site or Key Area Name: Trend plot 52-07 Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 7, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: October 1, 2025 to October 15, 2025

Estimated Use Days: 15

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 388.1

Total AUM: 388

Type of Monitoring: Herbaceous Removal

Monitoring Method: Key Species

Plant Species: **All Perennial Grass Species**

Species 1 Percent Utilization: 27.8

Max Allowable Use: 50

Within Guidelines?Yes



Closeup of vegetation



General view looking west

Is the Standard Met? Yes

Is follow-up needed for compliance? No



Range Monitoring Report

Fishlake | Richfield

KOOSHAREM - 04004

Monitoring Date: October 7, 2025

Employees Present:

Kling, Oyler

Drought Indicator: No

INDIAN RANCH PASTURE - 002

Site or Key Area Name: Trend plot 52-20 Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 7, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPEstimated use dates: October 1, 2025 to October 15, 2025

Estimated Use Days: 15

Kind and/or Class of Animals: Cow Calf

Cow Calf Pairs: 787 AUM: 388.1

Total AUM: 388

Type of Monitoring: Herbaceous Removal

Monitoring Method: Key Species

Plant Species: **All Perrenial Grass Species**

Species 1 Percent Utilization: 22.1

Max Allowable Use: 50


Within Guidelines?Yes




General view looking northwest



Closeup of vegetation



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

12S 416806E 4269003N38.56558582438225, -111.95492985593691

INDIAN RANCH PASTURE - 002

Site or Key Area Name: Trend plot 52- Predominant Landform: UPLANDS

Measurement Units: inches

Monitoring Date: October 7, 2025

Monitoring Time: POST-GRAZING SEASON

Reason for Monitoring: AMPKind and/or Class of Animals: Cow Calf

Type of Monitoring: Herbaceous Removal


Monitoring Method: **Key Species**

Plant Species: **All Perrenial Grass Species**


Species 1 Percent Utilization: 22.3

Max Allowable Use: 50

Within Guidelines? Yes



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri



USDA-U.S. Forest Service, Geospatial Technology and Application Center (GTAC) | Esri, N... Powered by Esri

[12S 416789E 4268636N](#) 38.56228040028118, -111.95508417967821

Is the Standard Met? Yes

Is follow-up needed for compliance? No

