Output 2: Implementation Checklist

Project: East Kennaday Focus Area, Cher	t Salvage Sale	District: Brush Creek-Hayden Ranger District	
Partnership Project: No	Primary Partner(s): N/A		
Accounting Unit: Bow Kettle Accou		ounting Unit: Choose an item.	

Objective(s): This project will achieve six of the seven LaVA objectives: #1 mitigate hazardous fuels; #2 provide for recovery of forest products; #3 enhance forest and rangeland resiliency to future insect and disease infestations; #4 protect infrastructure; #6 enhance access for forest visitors and permittees; and #7 provide for human safety.

Project Description: This project includes 476 acres of clearcuts targeting primarily dead lodgepole pine. Other dead and live trees will also be cut and removed. Groups of reserve trees have been designated for retention. Slash will be piled and burned. Several system roads will be maintained or reconstructed for project access. Several temporary roads will be used for project access and will be rehabilitated after the project is complete.

Location Description: This project is located on the northern end of the Snowy Range, approximately 60 miles northwest of Laramie, Wyoming.

Legal Location: This project is located in Township 18 North, Range 81 West, Sections 25, 26, 27, 34, and 35; and Township 17 North, Range 81 West, Sections 2 and 3; 6th Principal Meridian; Carbon County, Wyoming.

Management Areas: This project is located entirely in Forest Plan Management Area 5.15 (Forest Products, Ecological Maintenance, and Restoration Considering the Historic Range of Variability).

Treatment Opportunity Areas: This project is located in the Forest and Rangeland Resiliency and Forest Product Emphasis Treatment Opportunity Area (TOA) and a small section of the overlapping Fuels Treatment and Safety Emphasis TOA.

Pinyon Data Location(s): https://usfs.box.com/s/jdbkeg8e6kwh501xmqawiypmy9v0t8ck

GIS Data Location(s): T:\FS\NFS\MBRTB\Project\LaVA Implementation\GIS\East

Kennaday\Data\2_Implementation\Chert

Available Treatment Acres from Record of Decision					
Stand Initiation:	82,544	Intermediate:	148,692	Other Treatment(s):	51,267

Project Treatment Acres					
Stand Initiation: 476 Intermediate: 0 Other Treatment(s): 0					
Treatment Type	Acres	Treatment Type	Acres Treatment Type Acre		Acres
Clear cut	476	N/A	0	N/A	0

Management Areas				
Management Area	Treatment Acres	Management Area	Treatment Acres	
5.15	476			

Wildlife Areas Acreage			
Security Area (Accounting Unit) Treatment Acres Lynx Analysis Unit Treatment Ac			
N/A	0	Kettle Ponds	227 (198 suitable, 29 currently unsuitable)

Specified Road Work (Type)	Miles
Reconstruction	2.8

Temporary Road	Project Temporary	Balance of Temp
Mileage Available	Road Mileage	Roads
575.3	1.7	573.6

All temporary road mileage is estimated. Actual road miles will be tracked during the monitoring phase.

Summary of How Public Feedback was Incorporated / Addressed:

No public feedback was received for the Easy Kennaday focus area or the Chert Salvage Sale project.

Project Validation

Resource specialists have confirmed the project: a) meets applicable Forest Plan standards and guidelines; b) is consistent with the Standard Operating Procedures (SOPs), design features, Modified Final Environmental Impact Statement (MFEIS), and Record of Decision (ROD); c) surveys and fieldwork has been completed; and d) if necessary, provided any additional design features.

A set of standard design features are applied to each project prior to its implementation. Any additional project design features have been approved by the responsible official. The sections below list the design features by resource area.

Amphibians and Fisheries

Objective: Conserve populations of amphibian and fisheries species and maintain or improve habitats.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Keep heavy equipment out of streams during fish spawning, (May 15 to July 31 for cutthroat and rainbow trout, October 15 to November 30 for brook trout and brown trout). (DF-AF-1)	Yes	Click or tap here to enter text.
Install stream crossings as perpendicular to flow as practicable. (DF-AF-2)	No	Stream crossings not planned.
In consultation with fisheries and timber staff, Forest Service resource specialists will locate, design, and designate any temporary road crossings of perennial streams. (DF-AF-3)	No	Stream crossings not planned.
Avoid direct ignition in riparian and wetland areas; allow fire to back into these areas. (DF-AF-4)	Yes	Click or tap here to enter text.
Use spill containment equipment if it is necessary to locate staging and refueling areas within water influence zones. (DF-AF-5)	Yes	Click or tap here to enter text.
Felled material or other debris with potential to block stream culverts or bridges will be removed from the high-water mark. (DF-AF-6)	Yes	Click or tap here to enter text.
In consultation with fisheries staff, develop site-specific design criteria to ensure protection of boreal toad, wood frog, and northern leopard frog habitat and populations. (DF-AF-7)	Modified	Wood frogs located in one wetland in project area. Consultation done for appropriate buffer. Moving forward with 100-foot buffer given available habitat. Buffer is adequate per fisheries staff. Buffer will be shown on map as a Special Measures Area for additional protection.

Heritage Resources

<u>Objective</u>: Protect cultural sites that need protection; fulfill National Historic Preservation Act requirements; and avoid, minimize, or mitigate unexpected adverse effects to heritage resources.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
National Historic Preservation Act compliance will be completed for each treatment area prior to treatment implementation. This may include literature reviews, field surveys (if deemed necessary by the heritage specialist), and completion of State Historic Preservation Office and Tribal consultation. Surveys, reporting, and consultation may be conducted in accordance with a programmatic agreement. State Historic Preservation Office and Tribal consultation may result in additional cultural resource avoidance or protection measures. (DF-HR-1)	Yes	Click or tap here to enter text.
If cultural materials or human remains are discovered, all activities in the immediate area will stop, the area will be secured, and a Forest Service archaeologist and District Ranger will be notified immediately. Work will not resume in that area until the archaeologist has evaluated the material and notified the District Ranger that the applicable requirements of 36 CFR 800 and the Native American Graves Protection and Repatriation Act have been completed. (DF-HR-2)	Yes	Click or tap here to enter text.
Site-specific measures to protect or enhance heritage resources will be determined at the time of treatment implementation. (DF-HR-3)	No	No historic properties in the treatment units. Heritage review and Section 106 requirements complete. The undertaking is a standard procedure or excluded from review following our PA (Section IV.C.3). Survey was completed as part of three East Kennaday IDIQ contracts that have been submitted to and received concurrence from the SHPO.

Hydrology and Wet Areas

Objective: Maintain long-term ground cover, soil structure, water budgets, and flow patterns of wetlands to sustain their ecological functions.

Design Feature	 If no, explain. If modified, describe modification and rationale.
Fens: Treatment will not occur in fens. In addition, fens will be protected by a 300-foot limited-action buffer in which heavy equipment use will be prohibited. (DF-HWA-1)	GIS and field inventory completed. No fens identified in project area or within 300 feet of treatment units. No treatment planned in fens.
Wet meadows: No operation of heavy equipment, prescribed fire control lines, or tree removal will occur in seasonally wet, herbaceous- or shrub-dominated wetlands, commonly referred to as wet meadows. Wet meadows may also contain trees but do not include aspen woodlands or riparian gallery forests. (DF-HWA-1a)	GIS and field inventory completed. All known wetlands have been excluded from treatment units.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
 Wetlands, riparian areas, and aquatic ecosystems: When treating within non-excluded wetlands (see above), riparian areas, and aquatic ecosystems: (DF-HWA-2) Restrict temporary roads, landings, or main skid trails as recommended by resource specialists and approved by the line officer; Hand fall and leave in place; or Treat with mechanized equipment over a combined surface of 12 inches of frozen ground and snow. 	Yes	GIS and field inventory completed. All known wetlands have been mapped.
Water influence zone (WIZ): A buffer with a minimum horizontal width of 100 feet from the top of each stream bank or edge of wetlands will be applied to perennial and intermittent streams, lakes, reservoirs, riparian areas, and wetlands. However, buffers may vary depending on the type of wet area and site conditions, as agreed upon by resource specialists. When treating buffers including the WIZ, equipment use is permitted; (DF-HWA-3) If winter activities occur, the over-snow design feature (DF-SOIL-1) will apply. Where feasible, avoid temporary roads, landings, main skid trails, or slash piles in the WIZ. If the aforementioned are necessary in the WIZ, consult resource specialists. Prior to working in WIZ buffers, resource specialists will assess the need for site-specific design criteria for retention of coarse woody debris.	Yes	GIS and field inventory completed. For all known perennial and intermittent streams, lakes, reservoirs, riparian areas, and wetlands within or near treatment units, WIZ buffers were recommended. All wetlands were buffered but some did not receive the full 100 feet because of inaccuracies in GPS data. The outer edges of some recommended buffers were included in some treatment units, totaling 3.6 acres across the project area.
Winching of trees across streams is prohibited. (DF-HWA-4)	Yes	GIS and field inventory completed .No winching across streams is planned.

Infrastructure

Objective: To protect improvements and investments.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
All Forest Service authorized improvements (for example, fences, water improvements, survey monuments) will be protected during management activities. (DF-INF-1)	Yes	Known survey monuments and protected improvements will be shown on the Sale Area Map.
Slash piles should be removed as soon as practicable. If possible, locate all machine piles at least 100 feet from infrastructure. If possible, locate hand piles at least 50 feet from infrastructure. If not possible to meet the aforementioned distances, consult the zone fire staff or forest fuels specialist. (DF-INF-2)	Yes	Click or tap here to enter text.

Invasive Weeds

<u>Objective</u>: Maintain ecological integrity by preventing the introduction and reducing the spread of noxious weeds and invasive plant species in the project area. The following decision criteria were developed to comply with the direction in the forest plan, Executive Order 13751 – Safeguarding the Nation from the Impacts of Invasive Species, and the USDA Forest Service guide to noxious weed prevention practices.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Cleaning of equipment: Require equipment to be cleaned of mud and plant debris and inspected before vehicles are moved into the project area to prevent introduction or spread of noxious or invasive weed species. (DF-INV-1)	Yes	No mapped noxious or invasive plant infestations in the project area.
Vegetation treatments: Manage vegetation treatments to promote native species and to hinder weed species germination. Prior to implementation, field conditions will be assessed to locate areas with existing infestations of weeds. Areas may be excluded from prescribed burning where there are infestations of fire-proliferating species (cheatgrass and musk thistle). Weed-infested areas included in burns, except for annual grasses, will be treated with appropriate herbicides or other control methods, as needed, to minimize the spread of weed species pre-treatment, post-treatment, or both. (DF-INV-2)	Yes	Pre-treatment invasive plant survey should be conducted to confirm there are no existing invasive plant populations in the project area.
Seeding: On sites where the probability of erosion or weed infestation is high, disturbed areas will be seeded with an appropriate mix of native plant species per the "Guidelines for Revegetation for the Medicine Bow-Routt National Forests and Thunder Basin National Grasslands" (signed 2007, as updated). Areas may not need to be seeded where duff or slash cover the ground, or where natural revegetation is expected to occur quickly. The intent is to intervene only if necessary, to establish effective ground cover to control erosion, prevent weeds, and meet scenic objectives. (DF-INV-3)	Yes	Only necessary if site has identified high erosion potential, high percentage of bare ground (outside ecological potential) post-treatment, or a high probability of noxious plant infestation is identified. Otherwise not applicable.
Imported materials: All materials imported from off-forest (erosion control materials, soil, mulch, etc.) will be certified weed-free or from a weed-free source or area. Forest-level source material (gravel pits and borrow areas) used for individual treatments will be inspected prior to use to inventory noxious weed presence and treated with herbicide as needed. If inspections cannot occur before implementation, identify where the material came from and monitor for noxious weed presence. (DF-INV-4)	Yes	Any temporary road or landing that requires off- forest sediment import (for example, gravel) or any use of on-Forest gravel pit should be inspected and certified weed-free before import to site. Not applicable if temporary road or landing features do not require off-site materials.

Old Growth

Objective: To maintain or enhance old forest across the landscape.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
If treatment in old growth is planned, replacement acres will be identified prior to implementation, per Forest Plan biological diversity standard 1. Vegetation management can be conducted in these stands if treatments maintain or promote characteristics of old growth stands, new stands are identified that meet the requirements of old growth, and these stands are incorporated into the Medicine Bow National Forest old-growth strategy. Treatment of old growth is prohibited in Forest Plan MA 5.15. (DF-OG-1)		Discrepancies exist between GIS mapping and on-the-ground conditions. Treatment units overlapped with GIS old growth layer by 0.95 acres; however, treatment units avoid all stands with old growth conditions as identified in the field. GIS data will be modified based on field review.

Public Safety

Objective: To provide safe conditions for the administrative operations and the public uses.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Forest Service personnel will provide advanced notice to the public if roads are temporarily closed during project activities. Alternate access routes may be identified. Forest Service personnel will work cooperatively with the applicable federal, state, county, and local governments to post road closure information. Traffic control will comply with the Manual for Uniform Traffic Control Devices. (DF-PS-1)	Yes	No road closures planned.

Rangeland Resources

<u>Objective</u>: Maintain grazing opportunities on suitable rangelands to achieve desired conditions. Desired condition includes emphasis on healthy native plant communities, minimizing noxious weeds and other non-native species.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Treatment opportunities must be coordinated with Forest Service rangeland management specialists to provide adequate time to plan changes in grazing management and to limit effects to allotment management and permittee operations. (DF-RNG-1)	Yes	Up to 118 head of cattle are permitted from 7/20-9/01 on Pass Creek allotment. If treatment is scheduled during permitted on-dates, permittee will be contacted and any potential effects to their operation discussed and mitigated. No range infrastructure is mapped in project area. If infrastructure is discovered prior to contracting, it should be mapped and provided to the sale administrator and purchaser for reference.

Rare Plant Species and Sensitive Ecosystems

<u>Objective</u>: Maintain ecological integrity and functioning of uncommon, sensitive, or otherwise vulnerable ecosystems. Protect populations of threatened, endangered, and sensitive plant and pollinator species and maintain viability of all plant species in the project area. The follow design criteria were developed to comply with the standards and guidelines in the Forest Plan, meet the requirements of the National Forest Management Act and 2012 Final Planning Rule, and conform to the policy described in Supplement 2600-2017-1 to the Forest Service Manual 2600 – Wildlife, Fish, and Sensitive Plant Habitat Management, Chapter 2670 – Threatened, Endangered, and Sensitive Plants and Animals.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Rare plants: Threatened, endangered, Rocky Mountain Region sensitive, and local concern plant species will be subject to a limited-action buffer (typically 30 to 100 feet) in which heavy equipment will be prohibited and other activities may be limited, unless otherwise agreed upon by the botanist and District Ranger. Specific buffer distances will depend on plant and habitat characteristics and will be determined at time of discovery. (DF-TESS-1)	Yes	Known rare plant populations have been excluded in layout and the buffers provide adequate protection.
Meadows: Use of heavy equipment is prohibited in meadows and grasslands unless no other option is available. If heavy equipment use cannot be located outside these areas, Forest Service resource specialists will be contacted prior to implementation to determine whether additional surveys are needed, or special requirements are warranted to protect site integrity. (DF-TESS-2)	Yes	Click or tap here to enter text.

Design Feature	, , , ,	If no, explain. If modified, describe
	Modified)	modification and rationale.
Pollinators: In consultation with Medicine Bow National Forest resource specialists, conduct	Yes	No special measures necessary.
vegetation management activities in a manner that protects or enhances pollinator habitat.		
The pollinator-friendly best management practices for Federal lands (draft, May 2015 or		
finalized version) will be used as a guide. (DF-TESS-3)		

Recreation

<u>Objective</u>: Maintain or improve the condition of recreation resources while enhancing recreation opportunities by improving public safety and accessibility around recreation features.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Remove operational slash and merchantable materials from developed recreation sites that are the direct result of logging the site. (DF-REC-1)	No	No developed recreation sites in project area.
Do not implement treatments in developed campgrounds during the highest periods of use or when damage to campground features is likely to occur due to snow depth. If treatments require implementation during snow cover or high use periods, coordinate with recreation staff to minimize conflicts with recreation use and damage to infrastructure. (DF-REC-2)	No	No developed campgrounds in project area.
Temporary road or skid trail crossings of designated trails will be kept to a minimum. Any crossings will be perpendicular to designated forest trails to the extent practicable. (DF-REC-3)	No	No system trails in project area.
Minimize overlaying skid trails or haul roads on nonmotorized system trails. If trails are used as skid trails or haul roads, they will be returned to pre-existing conditions. Trail widths will not be increased. (DF-REC-4)	No	No system trails in project area.
When activities preclude use of a nearby trail, a) notify the public; b) consider identifying timeframes for safe travel on the trail; c) if activities are expected to preclude use for more than one season and a detour is feasible, provide a detour; and d) place warning signs on all trail access points and along the trail where treatment activities are occurring. (DF-REC-5)	No	No system trails in project area.
Unauthorized user-created routes within treatment boundaries may be decommissioned to discourage continued, illegal motorized use and to offset effects to resources. (DF-REC-6)	No	No known user-created routes in project area.
To the maximum extent possible, alternate route(s) or detours will be used during implementation to allow continued use of the Continental Divide National Scenic Trail and to mitigate scenery management effects during vegetation management operations. (DF-REC-7)	No	No Continental Divide National Scenic Trail in project area.
No skidding is allowed on or across the Continental Divide National Scenic Trail without prior coordination with recreation staff. Any skidding on or across the trail will be located to limit damage to the trail, which will be returned to pre-treatment condition. (DF-REC-8)	No	No Continental Divide National Scenic Trail in project area.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Coordinate with recreation staff on off-highway vehicle trails if vegetative treatments are planned on or adjacent to off-highway vehicle trails. Off-highway vehicle trails will be returned to pre-existing conditions. (DF-REC-9)	Yes	Click or tap here to enter text.
Coordinate with recreation staff if winter operations are planned on snowmobile trails. (DF-REC-10)	Yes	Snowmobile trails are in project area. Haul routes used for timber removal are groomed and ungroomed snowmobile trails.
Design and implementation of vegetative treatments or associated activities (for example, access routes, staging, etc.) within MA 8.22 Ski Based Resorts – Existing and Potential) shall be coordinated with the Forest Service ski area permit administrator to ensure compatibility with current and potential recreational opportunities. (DF-REC-11)	No	No MA 8.22 in project area.

Scenic Resources

Objective: To provide high-quality scenery while allowing multiple-use management to occur.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
In all treatment areas, follow general direction and associated standards and guidelines in the "Scenery Management" section of the Forest Plan (pages 1-56 to 1-58). (DF-SCN-1)	Yes	Click or tap here to enter text.
Along scenic byways burned slash piles will be rehabilitated, if needed, within four years of the activity to eliminate the appearance of uncharacteristic disturbance. (DF-SCN-2)	No	No scenic byways in project area.

Soils

<u>Objective</u>: Minimize disturbances to soil properties (physical, chemical, and biological) to ensure inherent ecological capacity and hydrologic functions of the soil resources are maintained.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
 When activities are planned over snow or frozen ground: Conduct activities when frozen soil is more than 4 inches deep or snow or a combination of compactable snow and frozen soil is more than 12 inches thick. Snow quality should be such that it will compact and form a running surface for equipment by being moist and non-granular. (DF-SOIL-1) Additional site-specific design features may be developed to minimize resource concerns. 		Treatments may be planned for winter logging operations.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Prohibit soil-disturbing activities on slopes greater than 60 percent and on soils susceptible to high erosion and geologic hazard. Site-specific design features will be developed if these areas cannot be avoided. (DF-SOIL-2)	No	Activities are not planned on slopes greater than 60 percent or on soils highly erosive soils. No geologic hazards were identified in treatment units during field validation.
For mechanical treatments, maintain a minimum 60 percent effective ground cover across treatment units throughout the implementation period to provide long-term organic matter, nutrients, and erosion control. (DF-SOIL-3)	Yes	No timber sale contract provision to implement this design feature. Residual slash and other forms of ground cover have met this design feature on previous projects. Post-treatment monitoring will measure effective ground cover and determine any need for adjustment of future projects.
Site-specific design features will be developed if treatment activities include operation of heavy equipment on slopes greater than 40 percent. (DF-SOIL-4)	No	Activities are not planned on slopes greater than 40 percent.
Designated skid trails will be used, when applicable, during timber harvest. Designated skid trails are recommended if more than three passes over the same ground is necessary or when not on flat ground. Designated trails are not necessary when harvesting over frozen ground, snow, or both. (DF-SOIL-5)	Yes	Click or tap here to enter text.
Where feasible, skid trails and landings from past harvests will be used to minimize new soil disturbance. (DF-SOIL-6)	Yes	Click or tap here to enter text.
Equipment operation shall not occur when ground conditions are such that extensive damage will result. If ruts develop that are six inches deep and 30 feet long or more, activities should stop. (DF-SOIL-7)	Yes	Click or tap here to enter text.

Temporary Road Construction, Landings, and Skid Trails

<u>Objective</u>: To decompact compacted soil in the temporary road surfaces, restore natural drainage, and prevent unauthorized motorized use after vegetation management.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Erosion Control: Recontour temporary road template to the original contour to permit normal maximum flow of water. (DF-RdEC-1)	Yes	Click or tap here to enter text.
Erosion Control: Remove culverts, install water bars, and restore stream channels to near natural dimensions. (DF-RdEC-2)	Yes	Click or tap here to enter text.
Erosion Control: For the entire length of the temporary road, provide 35 percent to 65 percent ground cover by scattering debris on the route footprint. Ground cover range is provided to account for different harvest methods and project objectives. (DF-RdEC-3)	Yes	Click or tap here to enter text.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Compaction: Rip or otherwise roughen the length of the temporary road prism to eliminate compaction, ensuring an average depth of 6 to 12 inches, as needed. Avoid continuous furrow lines as they function as conduits for water transport and do not eliminate compaction within the entire prism. (DF-RdCOM-1)	Yes	Click or tap here to enter text.
Visuals and Motor Vehicle Access: Temporary road rehabilitation methods will be designed to effectively prevent motorized vehicle use by utilizing berms, boulders, slash, mulch, dead trees, or a combination. The obliteration method(s) selected will cover the temporary road for the sight distance from its origin. For the entire length of the temporary road, provide 35 percent to 65 percent ground cover by scattering debris on the route footprint. (DF-RdVis-1)	Yes	Click or tap here to enter text.
Timing: Complete rehabilitation of temporary roads will occur within three years after the vegetation management treatments have been completed. (DF-RdT-1)	Yes	Click or tap here to enter text.
Timing: Skid trails and landings will be rehabilitated as needed to minimize soil and hydrologic effects. Site-specific measures will be developed at time of implementation. (DF-RdT-2)	Yes	Click or tap here to enter text.

Wildlife

Objective: Conserve populations of threatened, endangered, and sensitive species and maintain or improve wildlife habitats.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
General: Vegetation management and ground-disturbing actions within ¼ mile of suitable goshawk nesting habitat will be surveyed using the accepted protocol (Joy et al. 1994) between June 19 and August 4 of the year prior to actions or the year actions are expected to occur. Where active nests or territories are identified, Forest Plan standards will apply (USDA 2003a). (DF-WILD-1)	No	Surveys completed. No active nests observed.
Migratory Birds: Outside the wildland-urban interface, vegetation management actions will be designed to retain or promote unique features for overstory and understory diversity if feasible. These features can include items such as snags, uncommon trees, or woody debris. (DF-MB-1)	Yes	Sensitive and migratory birds were observed during surveys. Leave islands identified to retain wildlife snags and snag recruits per Forest Plan guidance.
Preble's Meadow Jumping Mouse: No treatment will occur in the Preble's meadow jumping mouse Area of Influence (766 acres) that occurs in the LaVA project area, located adjacent to the upper Laramie River in the southeast corner of the Fox Wood accounting unit. This area occurs within Township 13 North, Range 77 West, section 33 and Township 12 North, Range 77 West, section 4. (DF-PM-1)	No	No PMJM habitat in or near project area.

Design Feature	Applicable? (Yes, No, Modified)	If no, explain. If modified, describe modification and rationale.
Columbian sharp-tailed grouse*: Prioritize treatment in Columbian sharp-tailed grouse habitat to manage conifer invasion in shrublands and manage over-mature (more than 40 percent canopy cover) mountain shrublands, especially Gambel oak. Prioritize treatment on ridges, mesas, and other flat topography. (DF-CS-1)	No	Project area outside range of CSTG.
Columbian sharp-tailed grouse*: Prescriptions can treat up to 20 percent of over-mature sagebrush shrublands. Individual treatment areas can vary up to two to 10 hectares. Prioritize treatment in over-mature stands (more than 40 percent canopy cover). Retain some over-mature stands within 400 meters of leks. (DF-CS-2)	No	Project area outside range of CSTG.
Columbian sharp-tailed grouse*: Prescriptions can treat up to 30 percent of over-mature mountain shrublands, focusing on Gambel oak. Individual treatment areas can vary up to 20-to 100-hectare patches. Future treatments can occur at 5 to 10-year intervals in remaining stands. Where mountain shrublands comprise less than 15 percent of the area, prescriptions can treat up to 10 percent of the over-mature mountain shrublands with subsequent treatments at 10- to 15-year intervals. Treatment areas can vary up to 2- to 10-hectare patches. (DF-CS-3)	No	Project area outside range of CSTG.
Columbian sharp-tailed grouse*: Prescribed fire can occur before April 15, during September if there will be substantial early fall snow to cover treated areas, or after September. (DF-CS-4)	No	Project area outside range of CSTG.
Columbian sharp-tailed grouse*: Treated areas should be rested from livestock grazing for one to two growing seasons unless mountain shrubs have resprouted sufficiently and grass and forb cover is adequate for long-term habitat productivity. If mountain shrub and grass and forb response is not adequate, additional measures such as adaptive livestock management or temporary fencing can be adopted until recovery occurs. (DF-CS-5)	No	Project area outside range of CSTG.

^{*} Design criteria for shrubland treatments within two kilometers (1.24 miles) of Columbian sharp-tailed grouse leks (based on Hoffman and Thomas 2007 and Hoffman et al. 2015).

Additional Design Features

<u>Objective</u>: To provide additional, site-specific protection for resources not identified elsewhere in the checklist.

Design Feature	Describe purpose and rationale for the added design feature.
No additional design features identified.	N/A

Review and Approval

The Project Manager and LaVA Implementation Coordinator will review the checklist and supporting documentation to confirm the project has been designed consistent with the MFEIS, ROD, and Appendix A. In particular, they will confirm the SOPs and design features, including any additional, project-specific design features, are correctly applied to the project.

The District Ranger will review the checklist and supporting documentation. By signing this checklist, the ranger confirms that this project is within the scope of the analysis in the MFEIS and ROD, including the SOPs and design features in Appendix A.

Reviewed I	By (Project Manager): Curtis Prolic
Signature	e and Date:
Reviewed I	By (LaVA Implementation Coordinator): Matt Schweich
Signatu	re and Date:
	Approve proceeding with project. All resource concerns have been mitigated as recommended and the project is within the effects analyzed.
	Approve proceeding with project. Resource concerns could not be mitigated fully but project is still within effects analyzed under decision. Justification for proceeding is included in supplemental information.
	Do not proceed with project. Conditions since initialization of the project have changed substantially and need to be reassessed. Justification is attached.
Approved I	By (District Ranger): Jason Armbruster
Signatui	re and Date:

Project Modifications Developed During Review and Approval

During layout and resource surveys of treatment units, inaccuracies in GPS data collection led to overlap between slivers of treatment units and WIZ buffers. All perennial and intermittent streams, lakes, reservoirs, riparian areas, and wetlands were buffered but some of these buffers were not the full 100 feet recommended. These overlaps were discovered during the winter when adjustments to the treatment units were not possible. Interdisciplinary team discussions determined that the buffers are expected to adequately protect resources. A decision was made that rather than delay implementation, the project would move forward with the current buffers. These areas will be a focus of monitoring to confirm the adequacy of the buffers and identify any needed modifications to the field validation process.