BOARD CREEK ALLOTMENT MANAGEMENT PLAN

BRADSHAW RANGER DISTRICT

PRESCOTT NATIONAL FOREST

| Prepared by:_ | Sundra & Bracoch for War Kelso | 12/14/95 |
|---|--|----------|
| | Alan Kelso, Grazing Permit Adm. | Date |
| | Chino Valley and Bradshaw Districts | |
| Reviewed by: | Cornell Christensen, Implementation Staff | 12/14/95 |
| | Officer, Chino Valley and Bradshaw Districts | Date |
| Approved by:_ | Jones Hoes | 12-19-95 |
| / | John W. Holt, District Ranger | Date |
| Agreed to by: | William Struct TIE | 12-14-95 |
| 20.73 W 2 5 3 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | William E. Dumont, for William E. Dumont | Date |
| | Revocable Trust, DBA Rancho Santa Ynez | |

Board Creek is a cow-calf operation on a winter seasonal basis. Cattle are moved from other lands and non-Forest permits held by the current permittee.

Permitted numbers are 120 head from 11-16 to 5-15, 720 head months. The two pastures, Box and Upper Forest, are used concurrently. The number of head moved to each unit is at the permittee's discretion, subject to proper use monitoring in each unit. The common mix has been 40 head to Box and 80 to Upper Forest. The number is set each year in the Annual Operating Plan.

Cattle can graze in a unit until proper-use utilization levels in key areas were reached. Key areas for upland grasses are generally 1/4 to 1/2 mile from permanent water on gentle slopes with deeper soils. Such areas in this allotment are listed above. Key-area locations were established in early 1990's inspections. Areas were mapped, photographed, and measured for utilization during times of grazing.

Key areas are shown on the Range Improvement Map. They reflect the scattered grassy areas most likely to be used by cattle. # 4 is a riparian utilization point on upper Board Creek. Additional key areas may exist in the desert grassland of the western Box Unit but previous inspections have not surfaced any. This is the only substantial area of grass on this browse-dominated allotment.

Key species are assigned to each area as follows:

| Key Area number and location | Key Species | Abbr | Proper-use Growing season | levels Dormant |
|---|--------------------|--------|------------------------------|-------------------|
| 331111 | | | | |
| 1NE of Telegraph | blue grama | Bogr | 30% | 45% |
| Well | sideoats grama | Bocu | 35% | 52% |
| 2E of Rd 59 | blue grama | | 30% | 45% |
| | black grama | Boer | 35% | 52% |
| 3Road 59 jct w/ | sideoats grama | | 35% | 52% |
| 9402 J (rd from E) |) black grama | | 35% | 52% |
| 4Board Creek | deergrass | Muri-1 | 30% | 45% |
| above Hwy 89 | sideoats grama | | 35% | 52% |
| | Fremont cottonwood | Pofr | 20% | 20% |
| 5N of White Spar | gidoosta grams | | 250 | F00 |
| 2M OT MUTTE Spar | sideoats grama | | 35% | 52% |

The <u>objective of management</u> is to keep utilization in key areas below the levels specified above. Season of use is the main tool, with salting location, water management at Telegraph and Lee Wells, number control (total and between units), and locating cattle away from key areas also viable tools. Further inspection may surface other key areas. Utilization levels shown above would apply.

The woody riparian utilization limit is browsing on 20% of the shoots which are reachable by livestock. Only those shoots within 5 feet of the ground are considered when evaluating utilization. This standard is the permit-issuance team's interpretation of a "20% riparian utilization" standard in the current Forest Plan. This standard will be superseded whenever the Forest Plan riparian standards are amended, revised, or replaced. This will keep all allotments on the same standard and allow for increased riparian-management knowledge to be applied.

Woody upland utilization limit is defined as a level which will ensure the vigor rating, per R3 Range Handbook, is at medium or high on the preferred "A" species such as mountain mahogany, cliffrose, and ceanothus. No specific key areas for woody upland species have been identified. Extensive recon is used instead. Ridge tops in grassy areas are the most likely areas for heavier utilization.

If any of the above utilization levels are exceeded, permittee will be required to shift cattle between units to reduce utilization in key areas, and/or reduce numbers and/or de-stock the allotment. Credit for significant amounts of unused grazing fees will be granted upon submission of a credit application.

No new <u>range improvements</u> are specified by this plan. Existing improvements are to be maintained. Mothballed structures, such as the two wells shown on the range improvement map, are to be kept in a manner safe to the public. Abandoned troughs and storage tanks are to be removed or buried. Such work is required at Lee Well. Burial requires 2 months lead time for heritage clearance. Range improvements are listed with the permit.