

| | | | |
|----------------|--------|---------|-----------|
| | sq. km | sq. mi | FIA Plots |
| Area of Region | 15,100 | 5,830.1 | 481 |

Species Information

The columns below provide brief summaries of the species associated with the region and described in the table on the next pages. Definitions are provided in the Excel file for this region.

| Genus | Species | Abundance | | Model | | Potential Change in Habitat Suitability | | Capability to Cope or Persist | | Migration Potential | | | | | |
|---------|-----------|-----------|-----------|-------------|--------------|---|----------------|-------------------------------|----------------|---------------------|-------------|-----------|---------|---|----|
| | | Abundant | Common | Reliability | Adaptability | Scenario RCP45 | Scenario RCP85 | Scenario RCP45 | Scenario RCP85 | SHIFT RCP45 | SHIFT RCP85 | | | | |
| Ash | 4 | | | High | 22 | 26 | Increase | 29 | 32 | Very Good | 8 | 9 | Likely | 4 | 5 |
| Hickory | 4 | | | Medium | 26 | 51 | No Change | 16 | 17 | Good | 23 | 25 | Infill | 9 | 10 |
| Maple | 5 | Abundant | 4 | Low | 40 | 15 | Decrease | 23 | 19 | Fair | 10 | 11 | Migrate | 3 | 7 |
| Oak | 13 | Common | 27 | FIA | 8 | | New | 14 | 16 | Poor | 12 | 10 | | | |
| Pine | 7 | Rare | 45 | | | | Unknown | 14 | 12 | Very Poor | 15 | 10 | | | |
| Other | 43 | Absent | 20 | | | | | | | FIA Only | 4 | 4 | | | |
| | 76 | | 96 | | 96 | 92 | | 96 | 96 | Unknown | 6 | 4 | | | |
| | | | | | | | | | | | 78 | 73 | | | |

Potential Changes in Climate Variables

Temperature (°F)

| Scenario | 2009 | 2039 | 2069 | 2099 | | |
|----------------|--------|------|------|------|------|--|
| Annual | CCSM45 | 52.8 | 54.7 | 56.9 | 57.1 | |
| Average | CCSM85 | 52.8 | 55.1 | 57.5 | 60.5 | |
| | GFDL45 | 52.8 | 55.6 | 58.2 | 59.1 | |
| | GFDL85 | 52.8 | 56.0 | 59.3 | 63.2 | |
| | HAD45 | 52.8 | 55.2 | 58.4 | 59.7 | |
| | HAD85 | 52.8 | 55.5 | 59.7 | 63.9 | |
| Growing Season | CCSM45 | 67.2 | 69.1 | 71.2 | 71.7 | |
| | CCSM85 | 67.2 | 69.4 | 72.0 | 76.0 | |
| May—Sep | GFDL45 | 67.2 | 70.4 | 73.6 | 74.9 | |
| | GFDL85 | 67.2 | 71.1 | 75.1 | 79.3 | |
| | HAD45 | 67.2 | 70.3 | 73.4 | 74.9 | |
| | HAD85 | 67.2 | 70.4 | 75.9 | 80.3 | |
| Coldest Month | CCSM45 | 31.0 | 32.9 | 34.1 | 34.4 | |
| | CCSM85 | 31.0 | 33.6 | 34.6 | 35.7 | |
| Average | GFDL45 | 31.0 | 34.5 | 34.7 | 35.4 | |
| | GFDL85 | 31.0 | 33.2 | 34.2 | 35.3 | |
| | HAD45 | 31.0 | 31.6 | 33.6 | 33.9 | |
| | HAD85 | 31.0 | 32.3 | 33.7 | 35.4 | |
| Warmest Month | CCSM45 | 72.3 | 74.4 | 75.6 | 75.8 | |
| | CCSM85 | 72.3 | 74.6 | 76.3 | 78.1 | |
| Average | GFDL45 | 72.3 | 75.8 | 77.6 | 78.5 | |
| | GFDL85 | 72.3 | 77.1 | 79.5 | 81.9 | |
| | HAD45 | 72.3 | 75.8 | 78.1 | 79.0 | |
| | HAD85 | 72.3 | 76.8 | 80.5 | 83.1 | |

Precipitation (in)

| Scenario | 2009 | 2039 | 2069 | 2099 | | |
|----------------|--------|------|------|------|------|--|
| Annual | CCSM45 | 44.6 | 47.7 | 50.0 | 50.3 | |
| Total | CCSM85 | 44.6 | 49.4 | 50.4 | 55.0 | |
| | GFDL45 | 44.6 | 49.2 | 50.8 | 53.6 | |
| | GFDL85 | 44.6 | 47.2 | 51.9 | 52.9 | |
| | HAD45 | 44.6 | 45.8 | 47.1 | 47.1 | |
| | HAD85 | 44.6 | 47.4 | 45.3 | 47.1 | |
| Growing Season | CCSM45 | 20.7 | 23.1 | 24.1 | 24.2 | |
| | CCSM85 | 20.7 | 23.6 | 22.9 | 25.2 | |
| May—Sep | GFDL45 | 20.7 | 23.0 | 23.2 | 24.4 | |
| | GFDL85 | 20.7 | 21.3 | 23.5 | 23.7 | |
| | HAD45 | 20.7 | 21.7 | 20.8 | 21.0 | |
| | HAD85 | 20.7 | 22.2 | 20.6 | 21.2 | |

NOTE: For the six climate variables, four 30-year periods are used to indicate six potential future trajectories. The period ending in 2009 is based on modeled observations from the PRISM Climate Group and the three future periods were obtained from the NASA NEX-DCP30 dataset. Future climate projections from three models under two emission scenarios show estimates of each climate variable within the region. The three models are CCSM4, GFDL CM3, and HadGEM2-ES and the emission scenarios are the 4.5 and 8.5 RCP. The average value for the region is reported, even though locations within the region may vary substantially based on latitude, elevation, land-use, or other factors.

Cite as: Iverson, L.R.; Prasad, A.M.; Peters, M.P.; Matthews, S.N. 2019. Facilitating Adaptive Forest Management under Climate Change: A Spatially Specific Synthesis of 125 Species for Habitat Changes and Assisted Migration over the Eastern United States. *Forests*. 10(11): 989. <https://doi.org/10.3390/f10110989>.

Current and Potential Future Habitat, Capability, and Migration

| Common Name | Scientific Name | Range | MR | %Cell | FIAsum | FIAiv | ChngCl45 | ChngCl85 | Adap | Abund | Capabil45 | Capabil85 | SHIFT45 | SHIFT85 | SSO | N |
|-----------------------------|-------------------------|-------|--------|-------|--------|-------|-----------|-----------|--------|----------|-----------|-----------|-----------|-----------|-----|----|
| chestnut oak | Quercus prinus | NDH | High | 81.5 | 1405.4 | 17.9 | No change | Sm. dec. | High | Abundant | Very Good | Good | | | 1 | 1 |
| red maple | Acer rubrum | WDH | High | 93.4 | 973.6 | 10.7 | Sm. dec. | Sm. dec. | High | Abundant | Good | Good | | | 1 | 2 |
| yellow-poplar | Liriodendron tulipifera | WDH | High | 78.8 | 914.6 | 11.9 | No change | Lg. dec. | High | Abundant | Very Good | Good | | | 1 | 3 |
| black locust | Robinia pseudoacacia | NDH | Low | 74.2 | 535.0 | 7.4 | Sm. dec. | Sm. dec. | Medium | Abundant | Fair | Fair | | | 0 | 4 |
| northern red oak | Quercus rubra | WDH | Medium | 80.1 | 477.0 | 6.1 | Sm. inc. | Sm. inc. | High | Common | Very Good | Very Good | | | 1 | 5 |
| scarlet oak | Quercus coccinea | WDL | Medium | 66.9 | 428.2 | 6.6 | No change | Sm. dec. | Medium | Common | Fair | Poor | | | 1 | 6 |
| eastern white pine | Pinus strobus | WDH | High | 41.7 | 425.1 | 10.2 | No change | No change | Low | Common | Poor | Poor | | | 0 | 7 |
| white oak | Quercus alba | WDH | Medium | 71.5 | 372.0 | 5.2 | Lg. inc. | Lg. inc. | High | Common | Very Good | Very Good | | | 1 | 8 |
| sugar maple | Acer saccharum | WDH | High | 51 | 296.8 | 6.1 | No change | No change | High | Common | Good | Good | | | 1 | 9 |
| black oak | Quercus velutina | WDH | High | 63.6 | 277.6 | 4.5 | Sm. inc. | Lg. inc. | Medium | Common | Good | Very Good | | | 1 | 10 |
| sourwood | Oxydendrum arboreum | NDL | High | 67.5 | 277.3 | 4.3 | No change | No change | High | Common | Good | Good | | | 1 | 11 |
| black cherry | Prunus serotina | WDL | Medium | 45.7 | 221.8 | 4.9 | No change | Sm. inc. | Low | Common | Poor | Fair | | | 1 | 12 |
| blackgum | Nyssa sylvatica | WDL | Medium | 73.5 | 218.6 | 3.1 | Sm. inc. | Sm. inc. | High | Common | Very Good | Very Good | | | 1 | 13 |
| pignut hickory | Carya glabra | WDL | Medium | 55.6 | 215.8 | 3.9 | Sm. inc. | Sm. inc. | Medium | Common | Good | Good | | | 1 | 14 |
| Virginia pine | Pinus virginiana | NDH | High | 37.1 | 210.4 | 5.7 | Lg. inc. | Lg. inc. | Medium | Common | Very Good | Very Good | | | 1 | 15 |
| mockernut hickory | Carya alba | WDL | Medium | 55 | 184.2 | 3.5 | Sm. inc. | Lg. inc. | High | Common | Very Good | Very Good | | | 1 | 16 |
| sweet birch | Betula lenta | NDH | High | 55 | 175.4 | 3.3 | No change | No change | Low | Common | Poor | Poor | | | 0 | 17 |
| white ash | Fraxinus americana | WDL | Medium | 36.4 | 161.8 | 4.7 | Sm. inc. | Sm. inc. | Low | Common | Fair | Fair | | | 1 | 18 |
| pitch pine | Pinus rigida | NSH | High | 39.1 | 161.7 | 4.4 | No change | No change | Medium | Common | Fair | Fair | | | 1 | 19 |
| American beech | Fagus grandifolia | WDH | High | 36.4 | 155.5 | 4.3 | Sm. inc. | Sm. inc. | Medium | Common | Good | Good | | | 1 | 20 |
| eastern hemlock | Tsuga canadensis | NSH | High | 31.1 | 121.4 | 3.9 | Sm. inc. | Sm. inc. | Low | Common | Fair | Fair | | | 1 | 21 |
| sassafras | Sassafras albidum | WDL | Low | 46.4 | 120.4 | 2.6 | Sm. inc. | No change | Medium | Common | Good | Fair | | | 1 | 22 |
| eastern redcedar | Juniperus virginiana | WDH | Medium | 14.6 | 118.3 | 8.1 | Lg. inc. | Lg. inc. | Medium | Common | Very Good | Very Good | | | 1 | 23 |
| Table Mountain pine | Pinus pungens | NSL | Low | 20.5 | 115.8 | 6.8 | Lg. dec. | Lg. dec. | High | Common | Fair | Fair | | | 1 | 24 |
| American basswood | Tilia americana | WSL | Medium | 21.2 | 88.9 | 4.2 | Sm. inc. | No change | Medium | Common | Good | Fair | | | 1 | 25 |
| yellow buckeye | Aesculus flava | NSL | Low | 17.2 | 76.3 | 4.4 | Sm. dec. | Lg. dec. | Low | Common | Poor | Very Poor | | | 0 | 26 |
| black walnut | Juglans nigra | WDH | Low | 23.8 | 72.8 | 3.6 | Sm. inc. | Lg. inc. | Medium | Common | Good | Very Good | | | 1 | 27 |
| cucumbertree | Magnolia acuminata | NSL | Low | 33.8 | 72.3 | 2.1 | No change | No change | Medium | Common | Fair | Fair | | | 1 | 28 |
| ailanthus | Ailanthus altissima | NSL | FIA | 12.6 | 55.4 | 4.4 | Unknown | Unknown | NA | Common | NNIS | NNIS | | | 0 | 29 |
| sycamore | Platanus occidentalis | NSL | Low | 9.3 | 52.0 | 5.6 | No change | No change | Medium | Common | Fair | Fair | | | 1 | 30 |
| green ash | Fraxinus pennsylvanica | WSH | Low | 13.9 | 50.1 | 3.6 | Sm. inc. | Lg. inc. | Medium | Common | Good | Very Good | | | 1 | 31 |
| mountain or Fraser magnolia | Magnolia fraseri | NSL | Low | 15.2 | 49.7 | 3.3 | No change | No change | Low | Rare | Very Poor | Very Poor | | | 0 | 32 |
| shagbark hickory | Carya ovata | WSL | Medium | 19.9 | 48.1 | 2.4 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 1 | 33 |
| flowering dogwood | Cornus florida | WDL | Medium | 35.1 | 41.8 | 1.2 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 1 | 34 |
| serviceberry | Amelanchier spp. | NSL | Low | 37.7 | 40.8 | 1.2 | No change | No change | Medium | Rare | Poor | Poor | | | 1 | 35 |
| striped maple | Acer pensylvanicum | NSL | Medium | 25.8 | 39.2 | 1.5 | Lg. dec. | Lg. dec. | Medium | Rare | Very Poor | Very Poor | | | 0 | 36 |
| yellow birch | Betula alleghaniensis | NDL | High | 7.9 | 36.7 | 4.6 | Sm. dec. | Sm. dec. | Medium | Rare | Very Poor | Very Poor | | | 0 | 37 |
| red spruce | Picea rubens | NDH | High | 2.6 | 33.6 | 12.7 | Sm. dec. | Sm. dec. | Low | Rare | Very Poor | Very Poor | | | 0 | 38 |
| bitternut hickory | Carya cordiformis | WSL | Low | 15.9 | 29.2 | 1.8 | Lg. inc. | Lg. inc. | High | Rare | Good | Good | | | 1 | 39 |
| pin cherry | Prunus pensylvanica | NSL | Low | 7.9 | 26.7 | 3.4 | Lg. dec. | Lg. dec. | Medium | Rare | Very Poor | Very Poor | | | 0 | 40 |
| American elm | Ulmus americana | WDH | Medium | 17.9 | 26.0 | 1.7 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 1 | 41 |
| common persimmon | Diospyros virginiana | NSL | Low | 5.3 | 25.8 | 4.9 | No change | Sm. inc. | High | Rare | Fair | Good | Infill + | Infill ++ | 1 | 42 |
| eastern redbud | Cercis canadensis | NSL | Low | 11.9 | 18.7 | 1.6 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 1 | 43 |
| southern red oak | Quercus falcata | WDL | Medium | 6 | 16.7 | 2.8 | Lg. inc. | Lg. inc. | High | Rare | Good | Good | Infill ++ | Infill ++ | 2 | 44 |
| eastern hophornbeam; ironw | Ostrya virginiana | WSL | Low | 13.2 | 14.3 | 1.1 | Lg. inc. | Lg. inc. | High | Rare | Good | Good | | | 1 | 45 |
| American hornbeam; muscle | Carpinus caroliniana | WSL | Low | 12.6 | 13.3 | 1.3 | Sm. dec. | Lg. inc. | Medium | Rare | Very Poor | Good | | | 1 | 46 |
| Osage-orange | Maclura pomifera | NDH | Medium | 1.3 | 12.2 | 9.2 | Sm. dec. | Sm. dec. | High | Rare | Poor | Poor | Infill + | | 2 | 47 |

Current and Potential Future Habitat, Capability, and Migration

| Common Name | Scientific Name | Range | MR | %Cell | FIAsum | FIAiv | ChngCl45 | ChngCl85 | Adap | Abund | Capabil45 | Capabil85 | SHIFT45 | SHIFT85 | SSO | N |
|------------------------|------------------------------|-------|--------|-------|--------|-------|-------------|---------------|--------|--------|-------------|-------------|-----------|------------|-----|----|
| loblolly pine | Pinus taeda | WDH | High | 3.3 | 12.2 | 3.7 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | Infill ++ | Infill ++ | 2 | 48 |
| boxelder | Acer negundo | WSH | Low | 6 | 11.9 | 2.0 | Sm. dec. | No change | High | Rare | Poor | Fair | Infill + | Infill + | 1 | 49 |
| shortleaf pine | Pinus echinata | WDH | High | 8.6 | 10.6 | 1.2 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | Infill ++ | Infill ++ | 1 | 50 |
| sweetgum | Liquidambar styraciflua | WDH | High | 1.3 | 10.4 | 7.8 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 2 | 51 |
| slippery elm | Ulmus rubra | WSL | Low | 7.9 | 10.3 | 1.3 | No change | No change | Medium | Rare | Poor | Poor | | | 1 | 52 |
| American chestnut | Castanea dentata | NSLX | FIA | 17.9 | 9.1 | 0.6 | Unknown | Unknown | Medium | Rare | FIA Only | FIA Only | | | 0 | 53 |
| chinkapin oak | Quercus muehlenbergii | NSL | Medium | 4.6 | 7.6 | 1.6 | Sm. inc. | Lg. inc. | Medium | Rare | Fair | Good | Infill + | Infill ++ | 1 | 54 |
| red mulberry | Morus rubra | NSL | Low | 4 | 6.7 | 1.7 | No change | No change | Medium | Rare | Poor | Poor | Infill + | Infill + | 1 | 55 |
| post oak | Quercus stellata | WDH | High | 4 | 6.4 | 1.6 | Lg. inc. | Lg. inc. | High | Rare | Good | Good | | | 2 | 56 |
| black maple | Acer nigrum | NSH | Low | 0.7 | 5.1 | 7.7 | Sm. dec. | Sm. dec. | High | Rare | Poor | Poor | | | 0 | 57 |
| Siberian elm | Ulmus pumila | NDH | FIA | 0.7 | 4.5 | 6.8 | Unknown | Unknown | NA | Rare | NNIS | NNIS | | | 0 | 58 |
| paulownia | Paulownia tomentosa | NSL | FIA | 2.6 | 4.4 | 1.7 | Unknown | Unknown | NA | Rare | NNIS | NNIS | | | 0 | 59 |
| butternut | Juglans cinerea | NSLX | FIA | 2.6 | 3.9 | 1.5 | Unknown | Unknown | Low | Rare | FIA Only | FIA Only | | | 0 | 60 |
| river birch | Betula nigra | NSL | Low | 0.7 | 3.2 | 4.8 | Sm. dec. | No change | Medium | Rare | Very Poor | Poor | | Infill + | 2 | 61 |
| hackberry | Celtis occidentalis | WDH | Medium | 4 | 2.9 | 0.7 | Sm. inc. | Lg. inc. | High | Rare | Good | Good | Infill ++ | Infill ++ | 2 | 62 |
| bear oak; scrub oak | Quercus ilicifolia | NSLX | FIA | 2.6 | 2.9 | 1.1 | Unknown | Unknown | Medium | Rare | FIA Only | FIA Only | | | 0 | 63 |
| shingle oak | Quercus imbricaria | NDH | Medium | 0.7 | 2.4 | 3.7 | Sm. dec. | Sm. dec. | Medium | Rare | Very Poor | Very Poor | | | 0 | 64 |
| rock elm | Ulmus thomasii | NSLX | FIA | 0.7 | 1.5 | 2.3 | Unknown | Unknown | Low | Rare | FIA Only | FIA Only | | | 0 | 65 |
| Scots pine | Pinus sylvestris | NSH | FIA | 0.7 | 1.5 | 2.2 | Unknown | Unknown | NA | Rare | NNIS | NNIS | | | 0 | 66 |
| American holly | Ilex opaca | NSL | Medium | 2.6 | 1.5 | 0.6 | Sm. dec. | No change | Medium | Rare | Very Poor | Poor | | Infill + | 2 | 67 |
| pawpaw | Asimina triloba | NSL | Low | 1.3 | 1.3 | 1.0 | Sm. dec. | Very Lg. dec. | Medium | Rare | Very Poor | Lost | | | 0 | 68 |
| Shumard oak | Quercus shumardii | NSL | Low | 0.7 | 1.3 | 1.9 | Sm. dec. | Lg. inc. | High | Rare | Poor | Good | | | 2 | 69 |
| swamp white oak | Quercus bicolor | NSL | Low | 0.7 | 0.5 | 0.8 | Lg. dec. | Lg. dec. | Medium | Rare | Very Poor | Very Poor | | | 0 | 70 |
| honeylocust | Gleditsia triacanthos | NSH | Low | 0.7 | 0.5 | 0.7 | Lg. dec. | Lg. inc. | High | Rare | Poor | Good | | | 2 | 71 |
| bigleaf magnolia | Magnolia macrophylla | NSL | Low | 0.7 | 0.5 | 0.7 | Lg. dec. | Very Lg. dec. | Medium | Rare | Very Poor | Lost | | | 0 | 72 |
| blue ash | Fraxinus quadrangulata | NSL | Low | 0.7 | 0.4 | 0.7 | Lg. dec. | Very Lg. dec. | Low | Rare | Very Poor | Lost | | | 0 | 73 |
| blackjack oak | Quercus marilandica | NSL | Medium | 0.7 | 0.4 | 0.7 | Lg. inc. | Lg. inc. | High | Rare | Good | Good | | | 2 | 74 |
| American mountain-ash | Sorbus americana | NSL | Low | 0.7 | 0.3 | 0.5 | Lg. dec. | Lg. dec. | Low | Rare | Very Poor | Very Poor | | | 0 | 75 |
| black ash | Fraxinus nigra | WSH | Medium | 0.7 | 0.2 | 0.3 | Sm. dec. | No change | Low | Rare | Very Poor | Very Poor | | | 0 | 76 |
| longleaf pine | Pinus palustris | NSH | Medium | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | Migrate + | 3 | 77 |
| northern white-cedar | Thuja occidentalis | WSH | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | Likely + | Likely + | 3 | 78 |
| florida maple | Acer barbatum | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | Migrate + | Migrate + | 3 | 79 |
| mountain maple | Acer spicatum | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | Likely + | Likely + | 3 | 80 |
| gray birch | Betula populifolia | NSL | Low | 0 | 0 | 0 | Unknown | Unknown | Medium | Absent | Unknown | Unknown | | | 0 | 81 |
| cittamwood/gum bumelia | Sideroxylon lanuginosum ssp. | NSL | Low | 0 | 0 | 0 | Unknown | New Habitat | High | Absent | Unknown | New Habitat | | | 3 | 82 |
| pecan | Carya illinoensis | NSH | Low | 0 | 0 | 0 | New Habitat | New Habitat | Low | Absent | New Habitat | New Habitat | | Migrate + | 3 | 83 |
| shellbark hickory | Carya laciniosa | NSL | Low | 0 | 0 | 0 | Unknown | Unknown | Medium | Absent | Unknown | Unknown | | | 0 | 84 |
| black hickory | Carya texana | NDL | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 3 | 85 |
| sugarberry | Celtis laevigata | NDH | Medium | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | Migrate + | Migrate ++ | 3 | 86 |
| silverbell | Halesia spp. | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | Likely + | Likely + | 3 | 87 |
| southern magnolia | Magnolia grandiflora | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 3 | 88 |
| redbay | Persea borbonia | NSL | Low | 0 | 0 | 0 | Unknown | Unknown | High | Absent | Unknown | Unknown | | | 0 | 89 |
| bigtooth aspen | Populus grandidentata | NSL | Medium | 0 | 0 | 0 | Unknown | Unknown | Medium | Absent | Unknown | Unknown | | | 0 | 90 |
| water oak | Quercus nigra | WDH | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | Migrate + | Migrate ++ | 3 | 91 |
| willow oak | Quercus phellos | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | Migrate ++ | 3 | 92 |
| live oak | Quercus virginiana | NDH | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 3 | 93 |
| bluejack oak | Quercus incana | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | Migrate + | 3 | 94 |

Current and Potential Future Habitat, Capability, and Migration

| Common Name | Scientific Name | Range | MR | %Cell | FIAsum | FIAlv | ChngCl45 | ChngCl85 | Adap | Abund | Capabil45 | Capabil85 | SHIFT45 | SHIFT85 | SSO | N |
|--------------|-----------------|-------|--------|-------|--------|-------|-------------|-------------|--------|--------|-------------|-------------|----------|----------|-----|----|
| black willow | Salix nigra | NSH | Low | 0 | 0 | 0 | Unknown | New Habitat | Low | Absent | Unknown | New Habitat | | Likely + | 3 | 95 |
| winged elm | Ulmus alata | WDL | Medium | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | Likely + | Likely + | 3 | 96 |