

Step 3—FSTAG Implementation Process Flowchart

Step

3. Apply Technical Provisions (7.4.1 to 7.4.4 and 7.4.6 to 7.4.8)

Note: Sequence does not need to occur in the order shown.

If during step 3 the presence of one or more conditions for an exception allows deviations from technical provisions on more than 15% of the trail length, go directly to step 4.

Substep

A. Trail Grade

Trail grade can comply with 7.4.3.1?

Yes

Comply with trail grade technical provision 7.4.3.1.

No

Does condition for exception exist?

Yes

Exception allowed. Measure and record length of exception.

No

Exception not allowed. Comply with trail grade technical provision 7.4.3.1.

Go to step 3B.

Substep

B. Trail Cross Slope

Trail cross slope can comply with 7.4.3.2?

Yes

Comply with trail cross slope technical provision 7.4.3.2.

No

Does condition for exception exist?

Yes

Exception allowed. Measure and record length of exception.

No

Exception not allowed. Comply with trail cross slope technical provision 7.4.3.2.

Go to substep 3C.

Substep

C. Resting Intervals

Resting intervals can comply with 7.4.4?

Yes

Comply with resting interval technical provision 7.4.4.

No

Does condition for exception exist?


Yes

Exception allowed. Measure and record length of exception.

No

Exception not allowed. Comply with resting interval technical provision 7.4.4.

Go to substep 3D.



Step 3—FSTAG Implementation Process Flowchart

