

## BROAD SPECTRUM CONCENTRATED FIRE RETARDANT

# K500CC SAFETY DATA SHEET

	SECTION 1 PR	ODUCT & COMPANY INFORMATION
1.1	Product Identifier	
	Product Name	K500CC
	Brand	Komodo Fire Systems Inc.
	CAS #	NA / mixture
1.2	Relevant identified uses of	the substance or mixture and uses advised against
	Identified uses	Concentrated Fire Retardant mixture
1.3	Details of the Supplier of t	
	Company	Komodo Fire Systems, Inc.
		PO BOX 320072
		Los Gatos, CA 95032
	Telephone	888-563-4523
	Fax	408-852-3383
1.4	Emergency telephone nun	iber
-	Emergency #	800-424-9300 CHEMTREC
	SECTION 2	HAZARDS IDENTIFICATION
2.1	Classification of the substa	
	GHS Classification in acco	ordance with 29 CFR 1910 (OSHA HCS)
	This product does not meet	the definition of a hazardous substance as defined by 29 CFR 1910.1200 and regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008
	For the full text of the H-sta	tements mentioned in this section, see Section 16.
2.2	GHS Label Elements, incl	uding precautionary statements
	GHS Hazard Symbol (s)	None
	Signal Word	None
	GHS Hazard Classification	(s) Not Classified
	Hazard Statement (s)	None
	Prevention Statement (s)	None
	Response Statement (s)	None
	Storage Statement (s)	None
	Disposal Statement (s)	None
2.3	Other Hazards	
	None Applicable	

None Applicable

SDS v1.3 | Date : 01/15/2021

This document contains proprietary information of Komodo Fire Systems Inc. It is intended solely for the purpose of providing information on the products and services described herein. Such proprietary information may not be used, reproduced or disclosed to any other parties for any other purpose without the expressed written permission of Komodo Fire Systems Inc. KOMODO & K500CC are trademarks of KFSI.

## SAFETY DATA SHEET

### SECTION 3 CON

## COMPOSITION AND INFORMATION ON INGREDIENTS

3.1	Substances	
	Formula	Aqueous solution of organic and inorganic salts.
	Components	Wt. %
	Proprietary nitrogen and phosphate blend*	> 85
	Performance additives	< 15

\* Components are a Company Trade Secret – Business Confidential. Komodo Fire Systems Inc. is withholding the specific chemical identity under provision of the OSHA Hazard Communication Rule Trade Secrets (1910.1200(i)(1). The specific chemical identity will be made available to health professionals in accordance with 29 CFR 1910.1200(i)(1)(2)(3)(4).

## SECTION 4 FIRST AID MEASURES

4.1	Description of first aid measures	
	If inhaled	Not expected to be an issue. Move person to fresh air.
	In case of skin contact	Wash with soap and plenty of water. If irritation occurs, get medical advice/attention.
	In case of eye contact	Flush eyes with plenty of fresh water while holding eyelids open. Remove contact lenses if worn. If eye irritation persists, get
		medical advice/attention.
	If swallowed	Do not induce vomiting. Never give anything by mouth to an unconscious person. Flush mouth with water. If conscious give
		water to further dilute chemical. Consult physician.
4.2	Most important symptoms and effects,	The most important known symptoms and effects are described in the labelling (see section 2.2) or in Section 11.
	both acute and delayed	
4.3	Indication of any immediate medical attention	No data available
	and special treatment needed	

SECTION 5 FIRE FIGHTING MEASURES			
Extinguishing media	Not combustible (use water spray, fog, foam, dry chemicals, CO <sub>2</sub> or other agents as appropriate for material in surrounding fire).		
Special hazards arising from substance	Heating and/or burning may liberate small amounts of ammonia, carbon oxides, nitrogen oxides.		
or mixture			
Advice for firefighters	Not combustible (use safety equipment which is suitable for materials in surrounding fire).		
Further information	No data available		
	Extinguishing media Special hazards arising from substance or mixture Advice for firefighters		

## SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment	Use personal protective equipment. Avoid breathing mist. Ensure adequate ventilation. Evacuate personnel from affected area.
	and emergency procedures	For personal protection, see Section 8.
6.2	Environmental precautions	Prevent further leakage or spillage, if safe to do so. Prevent material from entering public sewer system or any waterways.
		Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.
6.3	Methods and materials for containment	Confine spilled liquid material and absorb with sand, sawdust, earth or other available solids. Sweep or vacuum up solid
	and cleaning up.	material and place in a suitable container for disposal. Avoid generating dust.
6.4	Reference to other sections	See Section 13 for further disposal info.

## SECTION 7 HANDLING & STORAGE

7.1	Precautions for safe handling	Wear appropriate protective equipment. Provide adequate ventilation. See Sections 2.2 and 8.
7.2	Conditions for safe storage,	Keep container tightly sealed when not in use. Keep out of direct sunlight. Store at 50-90F.Use good industrial practices
	including any incompatibles	to avoid spills. Exposure to strong bases and/or heat may liberate ammonia.
7.3	Specified end use	Used mainly as a passive fire retardant for dry brush, grasses, and other cellulosic material in fire prone areas.

#### Komodo Fire Systems Inc. PO BOX 320072 Los Gatos, CA 95032 USA

www.komodo-fire.com | 888-563-4523 (office) | 408-852-3383 (fax) | Emergency No. (Chemtrec): 800-424-9300

SDS v1.3 | Date: 01/15/2021

This document contains proprietary information of Komodo Fire Systems Inc. It is intended solely for the purpose of providing information on the products and services described herein. Such proprietary information may not be used, reproduced or disclosed to any other parties for any other purpose without the expressed written permission of Komodo Fire Systems Inc. KOMODO and K500CCare trademarks of Komodo Fire Systems Inc.

## SAFETY DATA SHEET

## SECTION 8 EXPOSURE CONTROL/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with workplace control parameters (D	ry product):	ACGIH	OSHA
		10 mg/m3 TWA inhalable particles	10 mg/m3 TWAEV inhalable particulate
		3 mg/m3 TWA respirable particles	3 mg/m3 TWAEV respirable particulate
Personal Protection Equipment	Respiratory Protection	Respiratory protection not normally required whether	hile spraying liquid outdoors. If inadequate
	(Specify Type)	ventilation is present while spraying, wear respi	ratory protection approved for organic mists.
		When handling the powder, where protection fr	om nuisance dusts are desired, use type
		N95(US) or P1(EN 143) dust masks.	
	Protective Gloves	Wear impervious gloves as necessary to avoid e	excessive skin contact (i.e. rubber or neoprene)
	Eye Protection	Protective glasses or goggles in dust areas.	
	Other Protective	Adequate clothing to minimize direct contact	t with skin.
	Equipment		
Engineering Measures/Controls	Local Exhaust	Adequate ventilation systems as needed to cont	rol concentrations of airborne contaminants
		below applicable threshold limit values.	
	Mechanical (General)	For outdoor application.	
	General Industrial	Do not use, and or consume foods, beverages, t	tobacco products, or cosmetics in areas were
	Hygiene Considerations	this material is stored. Wash hands and face can	refully before eating drinking, using tobacco,
		applying cosmetics or using toilet.	
	Special	NA	

#### SECTION 9

## PHYSICAL PROPERTIES AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical & Chemical Properties

a)	Appearance	Red liquid	k)	Vapor pressure	No data available
b)	Odor	None to mild sweet odor	1)	Vapor density	No data available
c)	Odor threshold	NA	m)	Relative density	1.30 g/cm3
d)	pH	6.95 - 7.05	n)	Water solubility	NA
e)	Melting/freezing point	NA / ~10 °F	o)	Partition coefficient n-octanol/water	No data available
f)	Initial boiling point	~212 °F	p)	Auto ignition temp	None
g)	Flash point	No data available	q)	Decomposition temp	No data available
h)	Evaporation rate	No data available	r)	Viscosity	640 cP
i)	Flammability	None	s)	Explosive properties	No data available
j)	Upper/lower flammability limits	No data available	t)	Oxidizing properties	Not an oxidizer

### SECTION 10

## STABILITY & REACTIVITY

10.1	Reactivity	No data available
10.2	Chemical Stability	Stable under normal storage conditions and use
10.3	Possibility of hazardous reactions	None known
10.4	Conditions to avoid	Extreme heat, keep container sealed
10.5	Incompatible materials	Strong bases and strong oxidizing agents
10.6	Hazardous decomposition products	Ammonia, nitrous oxides, carbon oxides

#### Komodo Fire Systems Inc. PO BOX 320072 Los Gatos, CA 95032 USA

www.komodo-fire.com | 888-563-4523 (office) | 408-852-3383 (fax) | Emergency No. (Chemtrec): 800-424-9300

#### SDS v1.3 | Date: 01/15/2021

This document contains proprietary information of Komodo Fire Systems Inc. It is intended solely for the purpose of providing information on the products and services described herein. Such proprietary information may not be used, reproduced or disclosed to any other parties for any other purpose without the expressed written permission of Komodo Fire Systems Inc. KOMODO and K500CCare trademarks of Komodo Fire Systems Inc.

## SAFETY DATA SHEET

### **SECTION 11**

## TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Undiluted Chemicals)		
	Acute toxicity	LD50 Oral (rat) >1000 mg/kg	
	Inhalation	Liquid not expected to be harmful. Use respirator if adequate ventilation is not possible to keep dust or mist exposure to reasonable levels.	
	Dermal	Not expected to be an issue. Wash area thoroughly with soap and water if exposed.	
	Skin corrosion/irritation	May cause mild skin irritation with prolonged exposure.	
	Serious eye damage/eye irritation	May cause mild irritation with direct contact. Wear eye protection when spraying or handling powder.	
	Respiratory or skin sensitization	May cause respiratory irritation with heavy exposure. Do not breathe concentrated dust or mist. Wear appropriate respirator as	
		conditions warrant.	
	Germ cell mutagenicity	No data available	
	Carcinogenicity		
	IARC	No components of this product present at levels $\geq 0.1\%$ is identified as a probable, possible, or confirmed human carcinogen by IARC.	
	NTP	No components of this product present at levels $\geq = 0.1\%$ is identified as a probable, possible, or confirmed human carcinogen by NTP.	
	OSHA	No components of this product present at levels $\geq = 0.1\%$ is identified as a probable, possible, or confirmed human carcinogen by OSHA.	
	Specific organ toxicity (single exposure)	No data available	
	Specific organ toxicity (repeated exposure)	No data available	
	Aspiration hazard	No data available	
	Additional Information	RTECS: YR6250000	
		To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.	

#### ECOLOGICAL INFORMATION **SECTION 12**

12.1	Toxicity	
	Toxicity to fish	LC50 – 320 mg/l - 96h
12.2	Persistence & Degradability	No data available
12.3	Bioaccumulation potential	No data available
12.4	Mobility in soil	No data available
12.5	Results of PBT & vPvP assessment	Not required. Not conducted.
12.6	Other adverse effects	No data available

## **SECTION 13**

## DISPOSAL CONSIDERATIONS

Product Incinerate or bury powder in a suitable land fill where permitted by local regulations. Liquid product may be evaporated and	
	product may be evaporated and
treated the same - or contact a licensed disposal facility.	
Contaminated packaging Dispose of a unused product.	

#### **SECTION 14** TRANSPORT INFORMATION DOT (US) Not dangerous goods IMDG Not dangerous goods IATA

Not dangerous goods

### Komodo Fire Systems Inc. PO BOX 320072 Los Gatos, CA 95032 USA www.komodo-fire.com | 888-563-4523 (office) | 408-852-3383 (fax) | Emergency No. (Chemtrec): 800-424-9300

SDS v1.3 | Date: 01/15/2021

This document contains proprietary information of Komodo Fire Systems Inc. It is intended solely for the purpose of providing information on the products and services described herein. Such proprietary information may not be used, reproduced or disclosed to any other parties for any other purpose without the expressed written permission of Komodo Fire Systems Inc. KOMODO and K500CCare trademarks of Komodo Fire Systems Inc.

## K500CC

## SAFETY DATA SHEET

## SECTION 15 REGULATORY INFORMATION

SARA 302 Components	No chemicals in this product are subject to the reporting requirements of SARA Title III, section 302.	
SARA 313 Components	The following components are subject to reporting levels Established by SARA Title III, section 313. None.	
SARA 311/312	No SARA hazards.	
California Prop. 65 Components	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.	

## SECTION 16 OT

## OTHER INFORMATION

Hazard pictograms not required per Tables 3.2.5, 3.2.5.1, 3.3.5, 3.3.5.1 of the GHS of Classification and Labeling of Chemicals Fifth Revised Edition.

Health hazard	0
Chronic health hazard	*
Flammability	0
Physical hazard	0
Health hazard	0
Fire hazard	0
Reactivity hazard	0
	Chronic health hazard Flammability Physical hazard Health hazard Fire hazard

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of Komodo Fire Systems Inc. knowledge, or obtained from sources believed by Komodo Fire Systems Inc. to be accurate, and Komodo Fire Systems Inc. does not assume any legal responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests. Before using any product, read the label and SDS.

Komodo Fire Systems Inc. PO BOX 320072 Los Gatos, CA 95032 USA www.komodo-fire.com | 888-563-4523 (office) | 408-852-3383 (fax) | Emergency No. (Chemtrec): 800-424-9300

SDS v1.3 | Date: 01/15/2021

This document contains proprietary information of Komodo Fire Systems Inc. It is intended solely for the purpose of providing information on the products and services described herein. Such proprietary information may not be used, reproduced or disclosed to any other parties for any other purpose without the expressed written permission of Komodo Fire Systems Inc. KOMODO and K500CCare trademarks of Komodo Fire Systems Inc.