

Table 11-1.--MC-17-1 Cover development of seral vegetation life form groups (percent).

Life form component	Succession Year																				
	PRE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Tree	1	0	0	0	0	0	0	0	1	2	4	6	7	11	14	17	21	—	40	—	36
Shrub	20	3	12	13	15	19	24	27	28	30	32	29	30	35	37	43	60	—	70	—	73
Herb	43	7	57	62	35	33	36	45	40	42	47	47	48	53	54	60	52	—	52	—	52
Total Veg.	64	10	69	75	50	52	60	72	69	74	83	82	86	99	105	120	133	—	162	—	161




Figure 11-1—Life form cover development, MC-17-1.

Table 11-2.--MC-17-1 Volume development of seral vegetation life form groups (m³/0.01 ha).

Life form component	Succession Year																				
	PRE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Tree	0	0	0	0	0	0	0	0	1	2	4	8	11	20	32	45	61	—	138	—	140
Shrub	12	1	4	4	5	6	8	11	12	14	18	17	17	25	29	32	55	—	94	—	86
Herb	5	1	20	16	12	10	9	13	10	11	11	14	11	14	12	20	18	—	13	—	25
Total Veg.	18	2	24	20	17	16	17	24	23	27	33	39	40	59	72	97	134	—	245	—	251




Figure 11-2—Life form volume development, MC-17-1.

Table 11-3.--MC-17-1 Cover development of tree and shrub species (percent).

	Succession Year																				
Species	PRE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<u>Tree</u>																					
ABLA	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2	4	—	6	—	6
LAOC	0	0	0	0	0	0	0	0	0	1	3	5	6	9	12	13	17	—	32	—	26
PIEN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
POTRI	0	0	0	0	0	0	0	0	1	1	1	0	0	1	1	2	1	—	1	—	1
PSME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	1	—	3
<u>Shrub</u>																					
ACGL	3	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	—	0	—	1
ALSI	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	3	12	—	26	—	21
LOUT	3	0	0	0	2	2	2	3	3	3	2	3	3	3	2	1	3	—	4	—	3
PAMY	10	0	0	2	2	3	7	9	8	10	12	8	11	11	9	17	14	—	14	—	23
ROGY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	1	—	0
RUPA	0	0	4	0	0	0	2	2	3	2	2	1	1	2	3	1	2	—	0	—	2
SASC	0	0	0	0	0	0	0	1	1	1	2	2	2	3	4	4	6	—	5	—	4
SPBE	0	3	7	10	10	9	10	10	10	11	10	10	7	8	8	13	13	—	14	—	12
VAGL	4	0	1	2	2	4	3	3	4	3	2	3	3	4	6	3	9	—	6	—	6




Figure 11-3—Tree and shrub cover development, MC-17-1.

Table 11-4.--MC-17-1 Cover development of herb species (percent).

	Succession Year																				
Species	PRE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ARLA	11	3	8	8	3	1	0	0	1	1	2	1	1	3	3	3	3	—	3	—	4
BERE	1	0	3	2	2	2	1	3	1	3	3	2	2	4	4	3	3	—	4	—	3
CACO	1	0	1	1	2	4	8	9	14	15	17	18	22	20	23	23	14	—	16	—	18
CHUM	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
CLUN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	1
EPAN	0	1	17	25	15	10	12	15	9	8	8	9	6	7	4	8	9	—	6	—	8
EPPA	0	0	18	16	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
LIBO	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
PYSE	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	—	1	—	1
VIOR	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
XETE	8	3	6	8	9	13	12	12	14	14	16	16	17	17	19	22	22	—	21	—	17
Misc.	12	1	3	3	5	3	3	6	1	1	3	0	0	1	1	0	1	—	1	—	1




Figure 11-4—Herb cover development, MC-17-1.

Table 11-5.--MC-17-1 Volume development of tree and shrub species ($m^3/0.01 \text{ ha}$).

	Succession Year																				
Species	PRE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<u>Tree</u>																					
ABLA	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	—	9	—	8
LAOC	0	0	0	0	0	0	0	0	0	1	3	6	9	17	28	35	54	—	123	—	123
PIEN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
POTRI	0	0	0	0	0	0	0	0	1	2	2	1	1	2	3	8	3	—	5	—	4
PSME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	1	—	5
<u>Shrub</u>																					
ACGL	6	0	0	0	0	0	1	1	1	2	3	3	3	3	3	2	2	—	0	—	2
ALSI	0	0	0	0	0	0	0	0	0	0	0	0	0	5	7	5	26	—	63	—	51
LCUT	2	0	0	0	1	1	1	2	2	2	1	2	2	2	1	1	2	—	3	—	2
PAMY	2	0	0	0	0	1	1	3	2	3	4	2	3	4	3	7	5	—	5	—	9
ROGY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
RUPA	0	0	1	0	0	0	0	0	1	0	1	0	0	1	1	0	0	—	0	—	1
SASC	0	0	0	0	0	0	0	1	2	2	5	4	5	7	9	10	11	—	16	—	14
SPBE	0	1	2	3	3	3	3	3	3	4	4	4	2	3	3	5	5	—	5	—	4
VAGL	2	0	0	0	0	1	1	0	1	1	0	1	1	1	1	1	3	—	2	—	2




Figure 11-5—Tree and shrub volume development, MC-17-1.

Table 11-6.--MC-17-1 Volume development of herb species (m³/0.01 ha).

	Succession Year																				
Species	PRE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ARLA	1	0	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	1
BERE	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	—	1	—	0
CACO	0	0	0	0	0	0	1	1	1	1	2	2	2	2	2	2	2	—	2	—	2
CHUM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
CLUN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
EPAN	0	0	7	11	9	6	5	8	5	5	4	7	4	6	3	7	8	—	4	—	7
EPPA	0	0	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
LIBO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
PYSE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
VIOR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	—	0
XETE	2	0	1	2	2	3	2	3	4	4	4	5	5	5	6	11	7	—	6	—	15
Misc.	1	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	—	0	—	0




Figure 11-6—Herb volume development, MC-17-1.