

Table 33-1.--SD-06 Cover development of seral vegetation life form groups (percent).

| Life form component | Succession Year |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |
|---------------------|-----------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|
|                     | 1               | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17  | 18  | 19  | 20  |
| Tree                | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 5  | 7  | 8  | 14 | 11 | 15 | 16 | 18  | 24  | 30  | 33  |
| Shrub               | 1               | 3  | 10 | 17 | 16 | 22 | 23 | 27 | 25 | 24 | 26 | 30 | 38 | 46 | 51 | 51 | 94  | 58  | 93  | 86  |
| Herb                | 6               | 34 | 28 | 25 | 23 | 14 | 23 | 21 | 27 | 27 | 26 | 30 | 25 | 27 | 27 | 24 | 33  | 24  | 34  | 30  |
| Total Veg.          | 7               | 37 | 39 | 42 | 39 | 36 | 46 | 48 | 53 | 56 | 59 | 68 | 77 | 84 | 92 | 91 | 145 | 106 | 157 | 149 |




Figure 33-1—Life form cover development, SD-06.

Table 33-2.--SD-06 Volume development of seral vegetation life form groups (m<sup>3</sup>/.01 ha).

| Life form component | Succession Year |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |
|---------------------|-----------------|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|
|                     | 1               | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15  | 16  | 17  | 18  | 19  | 20  |
| Tree                | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 4  | 8  | 10 | 24 | 28 | 44  | 54  | 71  | 109 | 145 | 186 |
| Shrub               | 0               | 2  | 6  | 13 | 13 | 19 | 18 | 22 | 21 | 24 | 22 | 28 | 35 | 51 | 61  | 64  | 129 | 81  | 137 | 127 |
| Herb                | 0               | 14 | 12 | 10 | 10 | 4  | 8  | 8  | 10 | 12 | 8  | 13 | 9  | 10 | 9   | 10  | 18  | 8   | 11  | 10  |
| Total Veg.          | 1               | 16 | 18 | 23 | 23 | 23 | 27 | 31 | 31 | 40 | 38 | 51 | 69 | 89 | 114 | 128 | 217 | 198 | 293 | 323 |




Figure 33-2—Life form volume development, SD-06.

Table 33-3.--SD-06 Cover development of tree and shrub species (percent).

| Species      | Succession Year |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|--------------|-----------------|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
|              | 1               | 2 | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| <b>Tree</b>  |                 |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| ABGR         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 2  | 2  | 2  | 3  | 0  | 0  | 0  | 0  | 0  | 1  | 2  |
| LAOC         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 1  | 1  | 1  | 1  |
| PICO         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  |
| PIMO         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 2  | 2  | 3  | 3  |
| POTRE        | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 1  | 0  |
| PSME         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 3  | 6  | 6  | 9  | 9  | 13 | 14 | 15 | 20 | 24 | 26 |
| <b>Shrub</b> |                 |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| AMAL         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  |
| PAMY         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 0  | 0  | 3  | 2  | 3  | 3  | 5  | 4  | 8  | 3  |
| SASC         | 1               | 3 | 10 | 17 | 16 | 22 | 23 | 26 | 25 | 23 | 26 | 30 | 36 | 43 | 43 | 45 | 83 | 47 | 79 | 67 |
| VAME         | 0               | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 4  | 3  | 5  | 7  | 5  | 14 |




Figure 33-3—Tree and shrub cover development, SD-06.

Table 33-4.--SD-06 Cover development of herb species (percent).

| Species | Succession Year |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|---------|-----------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
|         | 1               | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| ANMA    | 0               | 0  | 0  | 0  | 0  | 0  | 1  | 2  | 3  | 7  | 8  | 8  | 7  | 8  | 6  | 9  | 9  | 6  | 8  | 4  |
| ASCO    | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  |
| CAMI    | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 2  | 2  | 4  | 5  |
| EPAN    | 6               | 34 | 28 | 25 | 22 | 14 | 22 | 17 | 20 | 13 | 11 | 10 | 7  | 9  | 8  | 8  | 12 | 5  | 9  | 5  |
| HIAL    | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 5  | 6  | 10 | 11 | 7  | 8  | 4  | 7  | 6  | 7  | 10 |
| PYSE    | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  |
| SOCA    | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 2  | 2  | 1  |
| VIOR    | 0               | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 2  | 3  | 1  | 2  | 2  | 2  | 3  |
| Misc.   | 0               | 0  | 0  | 0  | 1  | 0  | 1  | 2  | 3  | 3  | 1  | 2  | 1  | 0  | 2  | 2  | 0  | 1  | 1  | 1  |




Figure 33-4—Herb cover development, SD-06.

Table 33-5.--SD-06 Volume development of tree and shrub species (m<sup>3</sup>/0.01 ha).

| Species      | Succession Year |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |     |     |
|--------------|-----------------|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|----|-----|-----|
|              | 1               | 2 | 3 | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17  | 18 | 19  | 20  |
| <b>Tree</b>  |                 |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |     |     |
| ABGR         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 2  | 0  | 0  | 0  | 0   | 0  | 1   | 4   |
| LAOC         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 3   | 7  | 8   | 10  |
| PICO         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1   | 1  | 1   | 3   |
| PIMO         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 4   | 5  | 6   | 8   |
| POTRE        | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0   | 0  | 2   | 1   |
| PSME         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 4  | 7  | 10 | 20 | 26 | 42 | 50 | 63  | 97 | 127 | 161 |
| <b>Shrub</b> |                 |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |     |     |
| AMAL         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0   | 0  | 0   | 0   |
| PAMY         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 2  | 1  | 2  | 2  | 4   | 3  | 6   | 3   |
| SASC         | 0               | 2 | 6 | 13 | 13 | 19 | 18 | 22 | 20 | 23 | 22 | 28 | 34 | 49 | 55 | 61 | 122 | 74 | 128 | 114 |
| VAME         | 0               | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 3  | 2  | 4   | 3  | 2   | 10  |




Figure 33-5—Tree and shrub volume development, SD-06.

Table 33-6.--SD-06 Volume development of herb species ( $m^3/.01\ ha$ ).

| Species | Succession Year |    |    |    |    |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
|---------|-----------------|----|----|----|----|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|
|         | 1               | 2  | 3  | 4  | 5  | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| ANMA    | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 1 | 1 | 3  | 3  | 3  | 3  | 4  | 2  | 4  | 4  | 2  | 3  | 1  |
| ASCO    | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| CAMI    | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 2  | 3  |
| EPAN    | 0               | 14 | 12 | 10 | 10 | 4 | 8 | 7 | 8 | 7  | 4  | 6  | 3  | 4  | 5  | 5  | 10 | 2  | 5  | 3  |
| HIAL    | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 2  | 1  | 3  | 3  | 3  | 1  | 1  | 2  | 1  | 1  | 1  |
| PYSE    | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| SOCA    | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  |
| VIOR    | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Misc.   | 0               | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 1 | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |




Figure 33-6—Herb volume development, SD-06.